



PACKAGING MACHINERY

- CODING MACHINE WITH CONVEYOR
- LIQUID FILLING MACHINE
- STRAPPING MACHINE
- SHRINK TUNNEL
- BOTTLE LABELLING
- INDUCTION SEALER
- BAND SEALER 3+1
- PASTE FILLER



TECHMAC

ENGINEERING WORKS

techmac76@gmail.com
+91-9811131140/+91-7289831140



Model	XD-00
Voltage / Power	220V/50HZ / 1000W
Label height	15-150mm
Label Length	25-300mm
Bottle height	25-350mm
Machine Speed	50-200pcs/min
Size (L x W x H)	1255x 800 x 800mm
Weight	92 kg



XD-00 ROUND BOTTLE LABELLING MACHINE

[CLICK TO WATCH VIDEO](#)

Model	MT-60
Voltage/Power	220V/50 HZ 120W
label accuracy	±. 1mm
Labeling speed	25-60 pcs/min
Label roll innder diameter	75mm
Max label roll out diameter	260 mm
Product size	10-180mm
Width of label	10-120mm
Weight	38 Kgs
Size	610 x 340 x 620 mm



MT-60 FLATE LABELMACHINE

[CLICK TO WATCH VIDEO](#)

MODEL	MT-150
VOLTAGE	220/110V/50/60 HZ
POWER	180 W
LABELLING SPEED	15-30times/min
LABEL ROLL DIAMETER	Min ≥Ø75mm Max. Ø260mm
LABEL SIZE	W: 20-100mm L: 30-150mm
MACHINE SIZE	780 x 610 x 680 (mm)
WEIGHT	36 KG



MT-150 FLATE LABELMACHINE

[CLICK TO WATCH VIDEO](#)

Model	MT-50
Voltage/Power	220V/50 HZ 120W
label accuracy	±0.5mm
Labeling speed	25-60 pcs/min
Label roll innder diameter	75mm
Max label roll out diameter	250 mm
Product size	10-150mm
Vldith of label	8-150mm 15-315mm



MT-50 ROUND BOTTLE LABEL MACHINE

[CLICK TO WATCH VIDEO](#)



Model	G1WY100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	10-100ml
Filling accuracy	1%
Packing size	950 x 310 x 310 (mm)
WEIGHT	15 KG



G1WY100 LIQUID FILLING MACHINE 10ML-100ML SINGLEHEAD

Model	G1WY500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	50-500ml
Filling accuracy	1%
Packing size	920 x 340 x 330 (mm)
WEIGHT	17 KG



G1WY500 LIQUID FILLING MACHINE 50ML-500ML SINGLE HEAD

Model	G1WY1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (1 filling nozzle)
Packing size	1120 x340 x 340 (mm)
Filling accuracy	1%
Adjustable model	100-1000ml
Weight	18 KG



G1WY1000 LIQUID FILLING MACHINE 100ML-1000ML SINGLE HEAD

Model	G1WY2600
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	300-5000ml
Filling accuracy	1%
Packing size	1350 x 330 x 350 (mm)
WEIGHT	25 KG



G1WY2600 LIQUID FILLING MACHINE 300ML-2600ML SINGLE HEAD

CLICK TO WATCH VIDEO



Model	G2WY100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	1200 x550 x 380 (mm)
Filling accuracy	1%
Adjustable model	10-100ml
Weight	26 KG



**G2WY100 LIQUID FILLNG MACHINE 10ML-100ML
DOUBLE HEAD**

Model	G2WY500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Sped	5-20 bots/min (2 filling nozzle)
Packing size	850 x530 x 370 (mm)
Filling accuracy	1%
Adjustable model	50-500ml
Weight	28 KG



**G2WY500 LIQUID FILLNG MACHINE 50ML-600ML
DOUBLE HEAD**

Model	G2WY1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	1200 x550 x 380 (mm)
Filling accuracy	1%
Adjustable model	100-1000ml
Weight	34 KG



**G2WY1000 LIQUID FILLNG MACHINE 100ML-1000ML
DOUBLE HEAD**

CLICK TO WATCH VIDEO

YouTube



VOLTAGE	220V50HZ/30W
FILLING RANGE	5-3500ML
MAX FLOW/HEIGHT	3.5L / 2M
FILLING SPEED	15-45 B/M
WEIGHT	28KG
DIMENSION (MM)	670x200x580



**210 FILLING MACHINE
SINGLE HEAD**

CLICK TO WATCH VIDEO



VOLTAGE	220V50HZ/30W	220V50HZ/30W
FILLING RANGE	5-3500ML	5-3500ML
MAX FLOW/HEIGHT	3.5L / 2M	3.5L / 2M
FILLING SPEED	1-25 B/M	15-30 B/M
WEIGHT	3.75KG	7.25KG
DIMENSION (MM)	330x420x380	490x320x210



**280 FILLING
MACHINE/DOUBLE HEAD**

CLICK TO WATCH VIDEO



Model	G1WG100
Voltage	220/100V/50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	10-100ml
Filling accuracy	1%
Packing size	620 x 340 x 330 (mm)
WEIGHT	22.8 KG



**G1WG 100 PASTE FILLING
MACHING 10-100 ml SINGLE HIAD**

CLICK TO WATCH VIDEO



Model	G1WG500
Voltage	220/100V/50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	50-500ml
Filling accuracy	1%
Packing size	620 x 340 x 330 (mm)
WEIGHT	38 KG



**G1WG 500 PASTE FILLING
MACHING 50-500 ml SINGLE HIAD**

CLICK TO WATCH VIDEO



Model	G1WG1000
Voltage	220/100V/50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	100-1000ml
Filling accuracy	1%
Packing size	1120 x 340 x 330 (mm)
WEIGHT	28.8 KG



**G1WG 1000 PASTE FILLING MACHING
100-1000 ml SINGLE HIAD**

CLICK TO WATCH VIDEO



Model	G1WG2600
Voltage	220/100V/50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	300-2600ml
Filling accuracy	1%
Packing size	1310 x 310 x 310 (mm)
WEIGHT	30 KG



**G1WG 2600 PASTE FILLING MACHINE
300ML-2600ML SINGLE HEAD**

CLICK TO WATCH VIDEO



Model	G2WG100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (2 filling nozzle)
Packing size	890 x 530 x 310 (mm)
Filling accuracy	1%
Adjustable volume	10-100ml
Weight	40.8 KG



G2WG 100 PASTE FILLING MACHINE
10ML-100ML DOUBLE HEAD

[CLICK TO WATCH VIDEO](#)



Model	G2WG500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (2 filling nozzle)
Adjustable model	60-500ml
Filling accuracy	1%
Packing size	890 x 450 x 310 (mm)
WEIGHT	42.8 KG



G2WG 500 PASTEFILLING MACHINE
50ML-500ML DOUBLE HEAD

[CLICK TO WATCH VIDEO](#)



Model	G2WG1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (2 filling nozzle)
Adjustable model	100-1000ml
Filling accuracy	1%
Packing size	1070 x 450 x 310 (mm)
WEIGHT	48.8 KG



G2WG 1000 PASTE FILLING MACHINE
100ML-1000ML DOUBLE HEAD

[CLICK TO WATCH VIDEO](#)



VOLTAGE	220/100V50/60 HZ
FILLING RANGE	5-60 ML
FILLING SPEED	20-30/MIN
BUCKET VOLUME/DIAMETER	10L/28CM
FILLING NOZZLE DIAMETER	4MM/8MM
MACHINE SIZE	320 x320 x 750 (mm)
WEIGHT	12 KG



06 MANUAL FILLING MACHINE

CLICK TO WATCH VIDEO



VOLTAGE	220/100V50/60 HZ
FILLING RANGE	5-50 ML
FILLING SPEED	20-30/MIN
BUCKET VOLUME/DIAMETER	10L/28CM
FILLING NOZZLE DIAMETER	4MM/8MM
MACHINE SIZE	320 x320 x 750 (mm)
WEIGHT	13 KG



03 MANUAL FILLING MACHINE

CLICK TO WATCH VIDEO



MODEL	LX 6000A
VOLTAGE	220/100V50/60 HZ
POWER	1200 W
SPEED	0-10M/MIN
SEALING DIAMETER	20-80 MM
BOTTLE SIZE	20-280 MM
WEIGHT	30 KG
DIMENSION	660x550x470 MM



LX 6000A INDUCTION SEALER

[CLICK TO WATCH VIDEO](#)



MODEL	LGYF-2000AX-I
VOLTAGE	220/100V50/60 HZ
POWER	1500 W
CAPACITY	0-12M/MIN
SEALING DIAMETER	0-130 MM
BOTTLE DIAMETER	40-300 MM
WEIGHT	54 KG
DIMENSION	470x660x950 MM



LGYF-2000AX-I INDUCTION SEALER

[CLICK TO WATCH VIDEO](#)



MODEL	DCGY-F200
VOLTAGE	220/110V50/60 HZ
POWER	500 W
SEALING DIAMETER	20-100 MM
SEALING SPEED	0-50PCS/MIN
SEALING TYPE	PORTABLE
MACHINE SIZE	590 x 450 x 440 (mm)
WEIGHT	2.5 KG



**DCGY-F200INDUCTION
SEALING MACHINE**

MODEL	DCGY-F1000A
VOLTAGE	220/110V50/60 HZ
POWER	500 W
SEALING DIAMETER	70-130 MM
SEALING SPEED	0-50PCS/MIN
SEALING TYPE	PORTABLE
MACHINE SIZE	680 x 450 x 560 (mm)
WEIGHT	3.4 KG



**DGYF-1000A MANUAL
INDUCTION SEALER**

Model	DGYF-600A
Voltage	220V/50HZ
Power	500W
Sealing Diameter	20mm x 100mm
Cap diameter	20mm x 85mm
Switch type	Button touch switch
Size (L x W x H)	340 x 290 x 150mm
Weight	2.75 kg



**DGYF-600A MANUAL
INDUCTION SEALING MACHINE**

Model	DGYF-600C
Voltage	220V/50HZ
Power	500W
Sealing Diameter	20mm x 130mm
Cap diameter	20mm x 130mm
Switch type	Button touch switch
Size (L x W x H)	340 x 290 x 150mm
Weight	3.0 kg



**DGYF-600C MANUAL
INDUCTION SEALING MACHINE**

CLICK TO WATCH VIDEO

YouTube





770 CONTINUOUS BAND SEALER MS HORIZONTAL



770 CONTINUOUS BAND SEALER MS VERTICAL

Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	23 Kgs	21 Kgs
Size	880 x 430 x 360 mm	880 x 430 x 360 mm

CLICK TO WATCH VIDEO



CLICK TO WATCH VIDEO



770 CONTINUOUS BAND SEALER SS VERTICAL




770 CONTINUOUS BAND SEALER SS HORIZONTAL

Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	23 Kgs	21 Kgs
Size	880 x 430 x 360 mm	880 x 430 x 360 mm

CLICK TO WATCH VIDEO





FRD-770 BAND SEALER WITH NITROGEN FLUSH M.S.S VERTICAL

Model	FRD-770 M.S. VER.	FRD-770 S.S. VER.
Voltage	220V/50 HZ	220V/50 HZ
Power	600 W	600 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	29 Kgs	29 Kgs
Size	970 x 430 x 360 mm	970 x 430 x 360 mm

CLICK TO WATCH VIDEO 

Model	FRD-770 S.S. HOR.
Voltage	220V/50 HZ
Power	600 W
Sealing speed	0-12m/min
Sealing wide	6-12mm
Temperature range	0-300°C
Max transport weight	3 Kgs
Print type	impress
Weight	27 Kgs
Size	970 x 430 x 360 mm



FRD-770 BAND SEALER WITH NITROGEN FLUSH SS HORIZONTAL

CLICK TO WATCH VIDEO 



Model	LF1080B
Voltage	220V/100V/50/60 HZ
Power	1105 W
Sealing Speed	0-12 m/min
Sealing Width	6-12mm
Max loading	less than 3 KG
Packing size	520 x 400 x 1015 mm
WEIGHT	85 KG



LF1080B CONTINUOUS AIR SUCTION BAND SEALER

CLICK TO WATCH VIDEO
[YouTube](#)

Model	LB1180B M.S
Voltage	110v 60HZ / 220V/60 HZ
Power	885W
Sealing speed	0-12m/min
Sealing width	0-12mm
Temperature range	0-300°C
Max transport weight	3 Kgs
Max thickness	<0.08 mm
Weight	75 Kgs
Size	1130 x 520 x 1140 mm



LB1180B CONTINUOUS AIR SUCTION M.S BAND SEALER

CLICK TO WATCH VIDEO
[YouTube](#)

Model	LB1100B S.S
Voltage	110v 60HZ / 220V/60 HZ
Power	885W
Sealing speed	0-12m/min
Sealing width	8-12mm
Temperature range	0-300°C
Max transport weight	3 Kgs
Max thickness	<0.08 mm
Weight	75 Kgs
Size	1130 x 520 x 1140 mm



LB1100B CONTINUOUS AIR SUCTION S.S BAND SEALER

CLICK TO WATCH VIDEO
[YouTube](#)



Model	DX-SA200	DX-SA300
POWER	80W	90W
SPEED	0-35M/MIN	0-50M/MIN
LENGTH OF PRODUCT	65-500MM	65-500MM
WIDTH OF PRODUCT	50-200MM	50-350MM
WEIGHT	20KG	23.3 KG
DIMENSION (MM)	1520x385x215	1550x455x220



DX-SA 200/300 CONVEYOR

Model	AP-200	AP-300
VOLTAGE	220V60HZ	220V60HZ
POWER	60W	120W
SPEED	10-30M/M	10-30M/M
WIDTH OF SUBJECT	50-200MM	50-300MM
WEIGHT	16.9KG	22.3KG
DIMENSION (MM)	1560x340x250	1560x430x250



AP-200/ 300 CONVEYOR

Model	AP-40
Voltage	220V/50HZ
Power	120W
Product size	80mm x 280mm
Thickness	0.02-5mm
Machine Speed	30-70m/min
Size (L x W x H)	1610 x 560 x 450mm
Weight	30 kg



AP-40 CONVEYOR

CLICK TO WATCH VIDEO 

NAME	CONVEYOR
Voltage	220/110V/50/60 HZ
Power	250 W
Belt width	200mm
Belt length	1000mm
Height	800 mm
Packing size	380 x 240 x 1230 (mm)
WEIGHT	15 KG



CONVEYOR

CLICK TO WATCH VIDEO 



CLICK TO WATCH VIDEO



Model	SD-4
Voltage	220V/50HZ
Power	120W
Product size	80mm x 280mm
Thickness	0.02-5mm
Machine Speed	40m/min
Size (L x W x H)	1380 x 480 x 400mm
Weight	32 kg



SD-4 STRACKER CONVEYOR WITH TIJ PRINTER

Model	SD-5
Voltage	220V/50HZ
Power	200W
Product size	80mm x 280mm
Thickness	0.02-5mm
Machine Speed	50m/min
Size (L x W x H)	1380 x 500 x 400mm
Weight	41 kg



SD-5 STRACKER CONVEYOR WITH TIJ PRINTER

CLICK TO WATCH VIDEO



Model	XD-9
Voltage / Power	380V 750W
Bucket Volume	1.8 L
Production Capacity	4-6.5m ³ /H
Outlet Height	3296mm
Infeed Length	863mm
Size (L x W x H)	2050(L)*1350(W)*980mm(H)
Weight	350 kg



XD-9 CONVEYOR

Model	XD-5
Voltage / Power	380V 750W
Bucket Volume	1.8 L
Production Capacity	2-4.5m ³ /H
Outlet Height	2800mm
Infeed Length	800mm
Size (L x W x H)	1850(L)*750(W)*850mm(H)
Weight	180 kg



XD-5 CONVEYOR

CLICK TO WATCH VIDEO



MODEL	XD-31	XD-41
PRINTING SPEED	2-60MM/MIN	2-60MM/MIN
PRINTING HEIGHT	12.7MM	25.4MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN	
PRINT RESOLUTION	600 DPI MAX	300 DPI MAX
PRINTING DISTANCE	2-8MM	
ADAPTER	AC INPUT 100-240V	
SCREEN DISPLAY	7 INCH	
SYSTEM SUPPORT	LINUX	
LANGUAGE	CHINESE/ENGLISH	
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC	
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC	
WEIGHT	3.2 KG	3.2 KG
DIMENSION	210x110x40 MM	210x110x40 MM



XD-31/41 CODING MACHINE

[CLICK TO WATCH VIDEO](#)



MODEL	XDAP-0530	XDAP-0550
PRINTING SPEED	60M/MIN	
PRINTING HEIGHT	2-12.7MM	2-25.4MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN	
PRINT RESOLUTION	600 DPI MAX	
PRINTING DISTANCE	2-10MM	
ADAPTER	AC INPUT 100-240V, DC OUTPUT 16.8V/2A	
SCREEN DISPLAY	4.3 INCH	
SYSTEM SUPPORT	LINUX	
LANGUAGE	CHINESE/ENGLISH	
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC	
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC	
WEIGHT	1.8 KG	1.5 KG
DIMENSION	135x1100x205 MM	



XDAP-0530 CODING MACHINE

[CLICK TO WATCH VIDEO](#)



MODEL	AP-05
PRINTING SPEED	60M/MIN
PRINTING HEIGHT	2-12.7MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN
PRINT RESOLUTION	600 DPI MAX
PRINTING DISTANCE	2-10MM
ADAPTER	AC INPUT 100-240V, DC OUTPUT 16.8V/2A
SCREEN DISPLAY	4.3 INCH
SYSTEM SUPPORT	LINUX
LANGUAGE	CHINESE/ENGLISH
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC
WEIGHT	1.5 KG
DIMENSION	135x1100x205 MM



AP-05 CODING MACHINE

[CLICK TO WATCH VIDEO](#)



Model	DS-1188
Voltage	220V/110V/50/60 HZ
Power	130 W
Printing Speed	less than 35 meter/min
Cycle rate	max 300 prints/min
Hot ink roll size	36mm*40mm
Packing size	350 x 280 x 200 (mm)
WEIGHT	8.7 KG



DS-1188 CODING MACHINE

[CLICK TO WATCH VIDEO](#)



Model	XD-20W	XD-30W
Voltage	220V/50 HZ 5A	
Laser Power	20 W	30 W
Laser Wave length	1064nm	
Laser frequency	20KHZ-100KHZ	
Marking Area	110mm x 110mm	
Min line width	0.01mm	
Laser beam Per Sq	less than 1.5	
Weight	70 KG	
Size	860 x 960 x 1250 mm	



XD-30W CODING MACHINE

[CLICK TO WATCH VIDEO](#)



Model	MY-380F
Voltage	110v 60HZ / 220V/50 HZ
Power	180W
Ink roll size	35 x 30mm
Speed	less than 300 pos/min
Object size	50-200L 30-300W
Printing Position	Width 50-250mm
Font size	2.0 / 2.5 / 3.0 mm Available
Weight	22 Kgs
Size	555 x 500 x 340 mm



MY 380F CODING MACHINE S.S 390MM

[CLICK TO WATCH VIDEO](#)



MODEL	XD-230
PRINTING SPEED	60MM/MIN
PRINTING HEIGHT	2-12.7MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN
PRINT RESOLUTION	600 DPI MAX
PRINTING DISTANCE	2-5MM
ADAPTER	AC INPUT 100-240V, DC OUTPUT 16.8V/2A
SCREEN DISPLAY	4.3 INCH
SYSTEM SUPPORT	LINUX
LANGUAGE	CHINESE/ENGLISH
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC
WEIGHT	1 KG
DIMENSION	135x128x200 MM



XD-230 HOT CODE MACHINE

[CLICK TO WATCH VIDEO](#)



MODEL	XD-130
POWER RATING	25W
CARTRIDGE TYPE	12.7MM
POWER SUPPLY MODE	FAST CHARGE 3.0 ADAPTER
PRINT RESOLUTION	600 DPI MAX
PRINTING DISTANCE	2-5MM
POWER INPUT	DC 9V/2A
CHARGING INTERFACE	TYPE - C
SYSTEM SUPPORT	ANDROID SYSTEM
LANGUAGE	CHINESE/ENGLISH
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC
WEIGHT	0.36 KG
DIMENSION	96.5x49.5x28.5 MM




XD-130 HAND CODE MACHINE

[CLICK TO WATCH VIDEO](#)




Model	HP-241
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma.16MMx35mm
Hot printer width	Ma.35mm
Size (L x W x H)	650 x 220 x 325mm
Weight	7.5 kg



HP-241 COLOR RIBBON CODE PRINTER

[CLICK TO WATCH VIDEO](#)



Model	XD4-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma.16MMx35mm
Hot printer width	Ma.35mm
Size (L x W x H)	470 x 310 x 515mm
Weight	7.8 kg



XD4-241G COLOR RIBBON CODING MACHINE

[CLICK TO WATCH VIDEO](#)


Model	XD5-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma.16MMx35mm
Hot printer width	Ma.35mm
Size (L x W x H)	670 x 310 x 515mm
Weight	7.5 kg



XD5-241G COLOR RIBBON CODING MACHINE

[CLICK TO WATCH VIDEO](#)




Model	DY8-4
Voltage	220V/50HZ
Power	40W
Printing speed	10-30psc/min
Printing area	Ma:16MMx35mm
Hot printer width	Ma:35mm
Size (L x W x H)	330 x 260 x 210mm
Weight	2.81 kg



DY8-4 COLOR RIBBON PRINTING MACHINE

[CLICK TO WATCH VIDEO](#)


Model	XD6-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma:19MMx35mm
Hot printer width	Ma:35mm
Size (L x W x H)	570 x 300 x 49mm
Weight	7.5 kg



XD6-241G COLOR RIBBON CODING MACHINE

[CLICK TO WATCH VIDEO](#)


Model	HP-241B
Voltage	220V/50 HZ
Power	200 W
Printing speed	10-80pca/min
Font size	2-4mm
Temperature range	0-200°C
Printing lines	3 / 4 / 5 lines
Pre-heating time	5-10 minutes
Weight	8 KG
Size	310 x 300 x 360 mm



HP-241B COLOR RIBBON CODE PRINTER

[CLICK TO WATCH VIDEO](#)






BS-4525A ROD / BELT SHRINK TUNNEL




BS-4535A ROD / BELT SHRINK TUNNEL

	BS-4525A	BS-4530B	BS-4535A	BS-4525C	BS-4540
Power source	380V/50HZ				
Heater power	0.5KW	0.80 KW	0.5 KW	0.6 KW	3.00 KW
Speed(m/min)	10				
Max sealing size "W"	450 x 350 (Max size For Packed Object : L + H < 450 MM, W + H < 350 MM)				
Machine size (L * W * H)	1300 x 740 x 830 mm	1600 x 700 x 1170mm	1700 x 720 x 830 mm	2630 x 700 x 1440mm	1400 x 730 x 1450mm
Machine weight	83 kg	55 kgs	90 kgs	225 kgs	125 kgs
Film material	POF, PVC				



BS450B Manual L sealer



BS4540 3 IN 1 Shrink packager



BS4525C Continuous seal-out-shrink combined packager(Pneumatic)

CLICK TO WATCH VIDEO
YouTube

MODEL	BS-D4522
VOLTAGE/POWER	3 PHASE 380V 50 HZ / 9 KW
CONVEYOR SEPPED / LOAD	0-15M/MIN / 10 KG
TUNNEL SIZE (L*W*H)	450*200*1200MM
HEATER TYPE	QUARTZ HEATER
HEATER SIZE	950MM*6
WEIGHT	225 KG
DIMENSION	2000x800x1480 MM



BS-D4522 SHRINK TUNNEL

CLICK TO WATCH VIDEO
YouTube





BSC 260 SHRINK TUNNEL



BSC 400 SHRINK TUNNEL

Model	BSC 260 SHRINK TUNNEL	BSC 400 SHRINK TUNNEL
Voltage	220v/380v 50-60Hz	220v/380v 50-60Hz
Power	4.8kw	8kw
Conveyor speed	0-10m/min	0-10m/min
Tunnel size	260 x 150mm	400 x 200mm
MACHINE WEIGHT	45 KG	58 KG
Machine size	1200 x 510 x 660 mm	1170 x 660 x 770 mm

CLICK TO WATCH VIDEO



Model	JGS-880	JGS-980
Voltage	220V/50 HZ	220V/50 HZ
Power	0.25 KW	0.37 KW
Capacity	800 bottles/hour	1000 bottles/hour
Capper size	20-35mm	20-35mm
Bottle height	70-330mm	20-350mm
Weight	57 Kgs	75 Kgs
Size	590 x 200 x 990 mm	700 x 340 x 1260 mm



**JGS-880 MANUAL
CAPPING
MACHINE**



**JGS-980 MANUAL
CAPPING
MACHINE**

CLICK TO WATCH VIDEO

Model	TDFJ-160
Voltage	220V/50HZ
Power	370W
Diameter for can	8.5CM/10CM
Can Height range	4-20cm
Capacity	25 pcs/min
Size (L x W x H)	610 x 335 x 760mm
Weight	45.6 kg



TDFJ-160 ELECTRIC CAN SEALING MACHINE

CLICK TO WATCH VIDEO

Model	DX-450
Voltage	220V/50 HZ
Power	25 W
Bottle diameter	10-80mm
Bottle height	40-200mm
Output capacity	20-40pcs/min
Size	630 x 460 x 800 mm
Weight	30.6 Kg



**DX-450 SEMI AUTO CAPPING
SEALING MACHINE**

CLICK TO WATCH VIDEO

Model	SF-1550
Voltage	220V/100V/50/60 HZ
CAPPING DIAMETER	10-50MM
PRODUCT CAPACITY	30-60 bottles/min
Packing size	70 x 70 x 300 (mm)
Torque	50-25kgf.cm
Operating form	Hand hold
Weight	18 KG



**SF-1550 ELECTRIC PORTABLE
SCREWING MACHINE**

CLICK TO WATCH VIDEO





HL-8020T STRAPPING MACHINE



HL-8021T STRAPPING MACHINE

MODEL	HL-8020T	HL-8021T
STRAPPING SPEED	1.6 SECOND/STRAP	
STRAPPING WIDTH	9-15MM	
POWER SUPPLY	220V / 250V 50HZ	
POWER	320W	
WEIGHT	81 KG	76 KG
DIMENSION	930x590x770 MM	930x590x560 MM

CLICK TO WATCH VIDEO 



HL-8020 STRAPPING MACHINE



HL-8021 STRAPPING MACHINE

MODEL	HL-8020	HL-8021
STRAPPING SPEED	1.6 SECOND/STRAP	
STRAPPING WIDTH	9-15MM	
POWER SUPPLY	220V / 250V 50HZ	
POWER	320W	
WEIGHT	74 KG	70 KG
DIMENSION	930x590x770 MM	930x590x560 MM

CLICK TO WATCH VIDEO 





DZ-260/400/500 VACUUM PACKING MACHINE

Model	DZ-260	DZ-400	DZ-500
Power source	110V/220V 50/60HZ	220V 50/60HZ	220V, 50/60 Hz
Power	1.0 KW	1.5 KW	1.6 KW
Workroom size	280 x 390 / 60 mm	420 x 440 x 80 mm	520 x 540 x 80 mm
Sealing length	260 x 10 mm	400 x 10 mm	500 x 10 mm
Sealing speed	1-4 time/minute	1-4 time/minute	1-4 time/minute
Weight	21 kgs	81 kgs	95 kgs
External size	438 x 340 x 345 mm	660 x 600 x 1050 mm	760 x 700 x 1050mm

[CLICK TO WATCH VIDEO](#)



Model	DZ-400	DZ-500	XD-600
CHAMBER SIZE	450*500*40MM*2	570*550*40MM*2	650*530*120MM*2
SEALING LENGTH	400MM*2	500MM*2	600MM*2
CAPACITY	2-4 TIMES/MIN	3-4 TIMES/MIN	2-5 TIMES/MIN
VOLTAGE	380V/220V 50HZ	380V/220V 50HZ	380V/220V 50HZ
PUMP POWER	0.75 KW	1.5 KW	1.5 KW
Weight	120 KG	150 KG	168 KG
External size	438 x 340 x 345 mm	1230 x 670 x 930 mm	1600 x 1070 x 750mm



**XD-600 VACUUM MACHINE
DOUBLE CHAMBER SS**

[CLICK TO WATCH VIDEO](#)



Model	DZ 600 OUTSIDE M.S / S.S
Voltage/Power	220V/50HZ / 0.8KW
Vacuum pump power	0.75KW
Sealing bar size	600mm x 10mm
Working table size	600mm x 400mm
Packing speed	1-3 times/min
Size (L x W x H)	1100 x 760 x 460mm
Weight	60KG / 58 KG



**DZ-600 VACUUM PACKAGING
MACHINE OUTSIDE M.S/S.S**

[CLICK TO WATCH VIDEO](#)





**OFFICE : 310, 325, 3rd Floor, Usha Kiran
Building, Azadpur, Delhi - 110033 INDIA**

**FACTORY : C-144, Sec-5, DSIIDC Industrial
Area, Bawana Delhi - 110039 INDIA**

Mobile No.: +91-9811131140

Mobile No : +91-7289831140

Email:techmac76@gmail.com

Web Site: www.techmacengineeringworks.com



TECHMAC ENGINEERING WORK

[CLICK HERE TO WATCH VIDEOS ON YOUTUBE](#)



TECHMAC ENGINEERING WORK

[CLICK HERE TO WATCH VIDEOS ON FACEBOOK](#)



TECHMAC ENGINEERING WORK

[CLICK HERE TO WATCH VIDEOS ON INSTAGRAM](#)